

PUT sipsg id

REST API Method: **PUT /rest/sipsg/{identifier}**

Creates a SIP Signaling Group Table given a specific Table ID.



Note

The SIP Signaling Group identifier can only be within the range 1-10000 (inclusive)

URL:

https://192.168.0.111/rest/sipsg/{identifier}

HTTP Method

PUT

Requires Authentication:

true

Parameters

| Parameter Name | Required | Service Affecting | Data Type | Default Value | Possible Values |
|------------------|----------|-------------------|-----------|---------------|---|
| customAdminState | Yes | Yes | Enum | 1 | Possible values: <ul style="list-style-type: none">0 - cmCustomDisal1 - cmCustomEnat2 - cmCustomDrair |
| Description | Yes | No | string | none | 64 - Max Length |
| ProfileID | Yes | No | int | 1 | Possible values: <ul style="list-style-type: none">1 - Minimum65534 - Maximum |
| Channels | Yes | Yes | int | 10 | Possible values: <ul style="list-style-type: none">1 - Minimum960 - Maximum |

| | | | | | |
|-----------------------------|-----|----|------|------|--|
| ServerSelection | No | No | Enum | 0 | <p>Possible values:</p> <ul style="list-style-type: none"> • 0 - eSelectionRoun • 1 - eSelectionPriot • 2 - eSelectionFirst/ • 3 - eSelectionDnsS • 4 - eSelectionRegis |
| ServerClusterId | No | No | int | 0 | <p>Possible values:</p> <ul style="list-style-type: none"> • 0 - Minimum • 65534 - Maximum |
| RelOnQckConnect | Yes | No | Enum | 0 | <p>Possible values:</p> <ul style="list-style-type: none"> • 0 - btFalse • 1 - btTrue |
| RelOnQckConnectTimer | No | No | int | 1000 | <p>Possible values:</p> <ul style="list-style-type: none"> • 10 - Minimum • 5000 - Maximum |
| RTPMode | Yes | No | Enum | 1 | <p>Possible values:</p> <ul style="list-style-type: none"> • 0 - btFalse • 1 - btTrue |
| RTPProxyMode | Yes | No | Enum | 1 | <p>Possible values:</p> <ul style="list-style-type: none"> • 0 - btFalse • 1 - btTrue |
| RTPDirectMode | Yes | No | Enum | 1 | <p>Possible values:</p> <ul style="list-style-type: none"> • 0 - btFalse • 1 - btTrue |
| VideoProxyMode | Yes | No | Enum | 1 | <p>Possible values:</p> <ul style="list-style-type: none"> • 0 - btFalse • 1 - btTrue |
| VideoDirectMode | Yes | No | Enum | 1 | <p>Possible values:</p> <ul style="list-style-type: none"> • 0 - btFalse • 1 - btTrue |

| | | | | | |
|-------------------------|-----|-----|------|---|--|
| MediaConfigID | Yes | No | int | 1 | Possible values: <ul style="list-style-type: none"> • 1 - Minimum • 65534 - Maximum |
| ToneTableID | No | No | int | 0 | Possible values: <ul style="list-style-type: none"> • 0 - Minimum • 65534 - Maximum |
| ActionSetTableID | No | No | int | 0 | Possible values: <ul style="list-style-type: none"> • 0 - Minimum • 65534 - Maximum |
| RouteTableID | Yes | Yes | int | 1 | Possible values: <ul style="list-style-type: none"> • 1 - Minimum • 65534 - Maximum |
| RingBack | No | No | Enum | 0 | Possible values: <ul style="list-style-type: none"> • 0 - sgrbpAuto • 1 - sgrbpAlways • 2 - sgrbpNever • 3 - sgrbpAutoOnAlertF • 4 - sgrbpAlwaysOnAle |

| | | | | | |
|---------------------------|-----|----|--------|------|---|
| HuntMethod | Yes | No | Enum | 4 | <p>Possible values:</p> <ul style="list-style-type: none"> • 0 - sghmStandard • 1 - sghmReverseSi • 2 - sghmRoundRot • 3 - sghmLeastIdle • 4 - sghmMostIdle • 5 - sghmOwnNumt |
| Direction | No | No | Enum | 2 | <p>Possible values:</p> <ul style="list-style-type: none"> • 0 - sgdirInbound • 1 - sgdirOutbound • 2 - sgdirBidirection: |
| PlayCongestionTone | No | No | Enum | 0 | <p>Possible values:</p> <ul style="list-style-type: none"> • 0 - btFalse • 1 - btTrue |
| Early183 | No | No | Enum | 0 | <p>Possible values:</p> <ul style="list-style-type: none"> • 0 - btFalse • 1 - btTrue |
| AllowRefreshSDP | No | No | Enum | 1 | <p>Possible values:</p> <ul style="list-style-type: none"> • 0 - btFalse • 1 - btTrue |
| RTCPMultiplexing | No | No | Enum | 0 | <p>Possible values:</p> <ul style="list-style-type: none"> • 0 - btFalse • 1 - btTrue |
| OutboundProxy | No | No | string | none | 256 - Max Length |
| ProxyIpVersion | Yes | No | Enum | 0 | <p>Possible values:</p> <ul style="list-style-type: none"> • 0 - eVersionPreferI • 1 - eVersionPreferI |

| | | | | | |
|-----------------------------|----|----|------|--------|--|
| OutboundProxyPort | No | No | int | 5060 | Possible values: <ul style="list-style-type: none"> • 0 - Minimum • 65535 - Maximum |
| NoChannelAvailableId | No | No | int | 34 | Possible values: <ul style="list-style-type: none"> • 1 - Minimum • 127 - Maximum |
| TimerSanitySetup | No | No | int | 180000 | Possible values: <ul style="list-style-type: none"> • 180000 - Minimum • 750000 - Maximum |
| TimerCallProceeding | No | No | int | 180000 | Possible values: <ul style="list-style-type: none"> • 24000 - Minimum • 750000 - Maximum |
| ChallengeRequest | No | No | Enum | 0 | Possible values: <ul style="list-style-type: none"> • 0 - btFalse • 1 - btTrue |
| NotifyCACProfile | No | No | Enum | 0 | Possible values: <ul style="list-style-type: none"> • 0 - btFalse • 1 - btTrue |
| NonceLifetime | No | No | int | 600 | Possible values: <ul style="list-style-type: none"> • 0 - Minimum • 3600 - Maximum |

| | | | | | |
|----------------------------------|-----|----|--------|------|---|
| Monitor | No | No | Enum | 2 | Possible values: <ul style="list-style-type: none"> • 0 - eProxyRegistrat • 1 - eProxyRegistration • 2 - eProxyRegistrat • 3 - eBasicCall |
| AuthorizationRealm | No | No | string | none | 256 - Max Length |
| ProxyAuthorizationTableID | No | No | int | 0 | Possible values: <ul style="list-style-type: none"> • 0 - Minimum • 65534 - Maximum |
| RegistrarID | No | No | int | 0 | Possible values: <ul style="list-style-type: none"> • 0 - Minimum • 65534 - Maximum |
| RegistrarTTL | No | No | int | 600 | Possible values: <ul style="list-style-type: none"> • 60 - Minimum • 86400 - Maximum |
| OutboundRegistrarTTL | No | No | int | 600 | Possible values: <ul style="list-style-type: none"> • 60 - Minimum • 86400 - Maximum |
| DSCP | Yes | No | int | 40 | Possible values: <ul style="list-style-type: none"> • 0 - Minimum • 63 - Maximum |

| | | | | | |
|-----------------------|----|----|--------|------|--|
| ListenPort_1 | No | No | int | 0 | Possible values: <ul style="list-style-type: none"> • 0 - Minimum • 65535 - Maximum |
| Protocol_1 | No | No | Enum | 0 | Possible values: <ul style="list-style-type: none"> • 0 - eTrNone • 1 - eTrUDP • 2 - eTrTCP • 3 - eTrTCP_UDP • 4 - eTrTLS • 5 - eTrTLS_UDP • 6 - eTrTLS_TCP • 7 - eTrTLS_TCP_L • 8 - eTrCount • 9 - eTrSCTP |
| TLSProfileID_1 | No | No | int | 0 | Possible values: <ul style="list-style-type: none"> • 0 - Minimum • 65534 - Maximum |
| LocalIP_1 | No | No | string | none | 50 - Max Length |
| ListenPort_2 | No | No | int | 0 | Possible values: <ul style="list-style-type: none"> • 0 - Minimum • 65535 - Maximum |
| Protocol_2 | No | No | Enum | 0 | Possible values: <ul style="list-style-type: none"> • 0 - eTrNone • 1 - eTrUDP • 2 - eTrTCP • 3 - eTrTCP_UDP • 4 - eTrTLS • 5 - eTrTLS_UDP • 6 - eTrTLS_TCP • 7 - eTrTLS_TCP_L • 8 - eTrCount • 9 - eTrSCTP |
| TLSProfileID_2 | No | No | int | 0 | Possible values: <ul style="list-style-type: none"> • 0 - Minimum • 65534 - Maximum |
| LocalIP_2 | No | No | string | none | 50 - Max Length |

| | | | | | |
|-----------------------|-----------|----|--------|------|--|
| ListenPort_3 | No | No | int | 0 | Possible values: <ul style="list-style-type: none"> • 0 - Minimum • 65535 - Maximum |
| Protocol_3 | No | No | Enum | 0 | Possible values: <ul style="list-style-type: none"> • 0 - eTrNone • 1 - eTrUDP • 2 - eTrTCP • 3 - eTrTCP_UDP • 4 - eTrTLS • 5 - eTrTLS_UDP • 6 - eTrTLS_TCP • 7 - eTrTLS_TCP_L • 8 - eTrCount • 9 - eTrSCTP |
| TLSProfileID_3 | No | No | int | 0 | Possible values: <ul style="list-style-type: none"> • 0 - Minimum • 65534 - Maximum |
| LocalIP_3 | No | No | string | none | 50 - Max Length |
| ListenPort_4 | No | No | int | 0 | Possible values: <ul style="list-style-type: none"> • 0 - Minimum • 65535 - Maximum |
| Protocol_4 | No | No | Enum | 0 | Possible values: <ul style="list-style-type: none"> • 0 - eTrNone • 1 - eTrUDP • 2 - eTrTCP • 3 - eTrTCP_UDP • 4 - eTrTLS • 5 - eTrTLS_UDP • 6 - eTrTLS_TCP • 7 - eTrTLS_TCP_L • 8 - eTrCount • 9 - eTrSCTP |
| TLSProfileID_4 | No | No | int | 0 | Possible values: <ul style="list-style-type: none"> • 0 - Minimum • 65534 - Maximum |
| LocalIP_4 | No | No | string | none | 50 - Max Length |

| | | | | | |
|--------------------------|----|----|--------|------|--|
| ListenPort_5 | No | No | int | 0 | Possible values: <ul style="list-style-type: none"> • 0 - Minimum • 65535 - Maximum |
| Protocol_5 | No | No | Enum | 0 | Possible values: <ul style="list-style-type: none"> • 0 - eTrNone • 1 - eTrUDP • 2 - eTrTCP • 3 - eTrTCP_UDP • 4 - eTrTLS • 5 - eTrTLS_UDP • 6 - eTrTLS_TCP • 7 - eTrTLS_TCP_L • 8 - eTrCount • 9 - eTrSCTP |
| TLSProfileID_5 | No | No | int | 0 | Possible values: <ul style="list-style-type: none"> • 0 - Minimum • 65534 - Maximum |
| LocalIP_5 | No | No | string | none | 50 - Max Length |
| ListenPort_6 | No | No | int | 0 | Possible values: <ul style="list-style-type: none"> • 0 - Minimum • 65535 - Maximum |
| Protocol_6 | No | No | Enum | 0 | Possible values: <ul style="list-style-type: none"> • 0 - eTrNone • 1 - eTrUDP • 2 - eTrTCP • 3 - eTrTCP_UDP • 4 - eTrTLS • 5 - eTrTLS_UDP • 6 - eTrTLS_TCP • 7 - eTrTLS_TCP_L • 8 - eTrCount • 9 - eTrSCTP |
| TLSProfileID_6 | No | No | int | 0 | Possible values: <ul style="list-style-type: none"> • 0 - Minimum • 65534 - Maximum |
| LocalIP_6 | No | No | string | none | 50 - Max Length |
| SIPtoQ850_TableID | No | No | int | 0 | Possible values: <ul style="list-style-type: none"> • 0 - Minimum • 65534 - Maximum |

| | | | | | |
|------------------------------|-----|-----|--------|---|--|
| Q850toSIP_TableID | No | No | int | 0 | Possible values: <ul style="list-style-type: none"> • 0 - Minimum • 65534 - Maximum |
| SipResponseCodes | Yes | Yes | string | 408,409,411,413,500,501,503,504,580,604,606 | 200 - Max Length |
| NetInterfaceSignaling | Yes | No | string | none | 64 - Max Length |
| NATTraversalType | Yes | No | Enum | 0 | Possible values: <ul style="list-style-type: none"> • 0 - eNATTypeNone • 1 - eNATTypeStatic |

| | | | | | |
|-----------------------------------|----|-----|--------|------|---|
| NATPublicIPAddress | No | Yes | string | none | 16 - Max Length |
| PassthruPeerSIPRespCode | No | No | Enum | 1 | Possible values: <ul style="list-style-type: none"> • 0 - btFalse • 1 - btTrue |
| SGLevelMOHService | No | Yes | Enum | 0 | Possible values: <ul style="list-style-type: none"> • 0 - mohDisable • 1 - mohEnable • 2 - mohEnableNoV |
| IngressSPRMessageTableList | No | No | string | none | 60 - Max Length |
| EgressSPRMessageTableList | No | No | string | none | 60 - Max Length |
| QoEReporting | No | No | Enum | 0 | Possible values: <ul style="list-style-type: none"> • 0 - btFalse • 1 - btTrue |
| VoiceQualityReporting | No | No | Enum | 0 | Possible values: <ul style="list-style-type: none"> • 0 - btFalse • 1 - btTrue |

| | | | | | |
|--------------------------|-----|----|--------|----------|---|
| RegisterKeepAlive | No | No | Enum | 1 | Possible values: <ul style="list-style-type: none"> • 0 - btFalse • 1 - btTrue |
| InteropMode | No | No | Enum | 0 | Possible values: <ul style="list-style-type: none"> • 0 - eStandard • 1 - eBroadSoft • 2 - eO365 • 3 - eO365wAD • 4 - eHeaderTransp |
| AgentType | No | No | Enum | 0 | Possible values: <ul style="list-style-type: none"> • 0 - eBackToBackU • 1 - eAccessMode |
| RegistrantTTL | No | No | int | 3600 | Possible values: <ul style="list-style-type: none"> • 30 - Minimum • 86400 - Maximum |
| ADAttribute | No | No | string | pager | 500 - Max Length |
| ADUpdateFrequency | No | No | string | 1 | 100 - Max Length |
| ADFirstUpdateTime | No | No | string | 00:00:00 | 500 - Max Length |
| Office365FQDN | No | No | string | none | 1000 - Max Length |
| ICESupport | Yes | No | Enum | 0 | Possible values: <ul style="list-style-type: none"> • 0 - btFalse • 1 - btTrue |
| ICEMode | No | No | Enum | 0 | Possible values: <ul style="list-style-type: none"> • 0 - elceLite • 1 - elceFull |

| | | | | | |
|---|-----|----|--------|-----------------|--|
| InboundNATTraversalDetection | Yes | No | Enum | 0 | Possible values: <ul style="list-style-type: none"> • 0 - btFalse • 1 - btTrue |
| InboundNATQualifiedPrefixesTableID | No | No | int | 0 | Possible values: <ul style="list-style-type: none"> • 0 - Minimum • 65534 - Maximum |
| InboundSecureNATMediaLatching | No | No | Enum | 1 | Possible values: <ul style="list-style-type: none"> • 0 - btFalse • 1 - btTrue |
| InboundSecureNATMediaPrefix | No | No | string | 255.255.255.255 | 16 - Max Length |
| InboundNATPeerRegistrarMaxEnabled | No | No | Enum | 0 | Possible values: <ul style="list-style-type: none"> • 0 - btFalse • 1 - btTrue |
| InboundNATPeerRegistrarMaxTTL | No | No | int | 120 | Possible values: <ul style="list-style-type: none"> • 30 - Minimum • 86400 - Maximum |

| | | | | | |
|--------------------|-----|----|--------|------|--|
| RemoteHosts | Yes | No | string | none | 2500 - Max Length |
| RemoteMasks | Yes | No | string | none | 2500 - Max Length |
| SIPReSync | No | No | Enum | 0 | Possible values: <ul style="list-style-type: none"> • 0 - btFalse • 1 - btTrue |